

NA381TB3

4U 24 bay (3.5" / 2.5") Thunderbolt™ 3
Storage and PCIe Expansion



The Ideal Companion to Thunderbolt 3 Mac

Designed to have Thunderbolt™ 3 greatly 40Gbps high-bandwidth for the fastest ever data storage access and operation with multiple professional PCIe cards, which meant to be the perfect companion to your empowered Thunderbolt Mac or workstation.



Expansion for up to 3 PCIe Cards

24/7 Operation Application



RAID 0,1,5,6...

RAID card



Broad Range of RAID Card Support



In addition to 3.5",
Drive Tray Supports SSD/2.5"

Host Interface

Thunderbolt™3 (Dual Port USB-C for Daisy Chain)

Data Transfer Rate

40Gbps

HDD Interface

SAS/SATA (6G/3Gbps)

No. of Disk(s)

Up to 24 (For 2.5" SSD / HDD & sold separately)

RAID Levels

Requires a RAID card with internal 24 port and Thunderbolt driver(RAID card sold separately)

PCIe Slot Expansion

Three PCIe3.0 x8 slots

Thunderbolt Expansion

Up to Six Thunderbolt devices

LED Display for Enclosure

Fan normal - Green; Fan failure - Red
Temp. normal - Green; Temp. over 50°C - Red

LED Display for each Tray

White - Power On Indicator
Flash Blue - HDD Accessing Indicator
Red - HDD Failure Indicator

Alarm

Mutable buzzer beeping for fan failure or over temperature occurs

Material

Heavy-duty cold-rolled steel Housing

Power Supply

600W Redundant PSU (High-Efficiency & Low Noise)
Input: 90-230 VAC/50-60 HZ
Output: +5V and +12V

Dimension

559(D) x 482(W) x 176(H) mm
22 (D) x 19 (W) x 6.93 (H) inch

Cooling

five 90 x 90 x 25 mm

System Support

MacBook Pro(2016) with a Thunderbolt 3 port
Note: Thunderbolt 2 Mac will request a Thunderbolt 3 (USB-C) to Thunderbolt 2 adapter from Apple.

O.S. Support

Mac OS X 10.12.3 above

PCIe card Driver Request

Third-party PCIe card should support Mac OS with Thunderbolt aware's driver

PCIe card Size Available

Card length within 305mm and full height PCIe card

Operating Temperature

5 to 40°C (41 to 104°F)

Storage Temperature

-10 to 50°C (14 to 122°F)

Relative Humidity

20 to 80% (non-condensing)