



SONNETTECH

Sonnet Technologies Thunderbolt Expansion Systems PCIe Card Compatibility

PCIe Card	macOS Windows Linux VMWare	M1/M2 Mac Com- patible Driver	Echo Express SEL	Echo Express SE I	Echo Express SE II	Echo Express SE III ²⁵ , IIIe ²⁵	Echo I, Breakaway Box	Echo III ²⁵ , Echo Express III ²⁵ , xMac Studio, xMac Pro Server	xMac mini Server
			TB2 or TB3	TB2 or TB3	TB2	TB3	TB3	TB2 or TB3	TB2 or TB3
			1 Low Profile	1 Full Height Half Length + 1 AUX	2 Full Height Half Length + 1 AUX	3 Full Height Half Length+	1 Full Height Full Length	3 Full Height Full Length	1 FHFL + 1 FHHL + 1 AUX ¹
ADC									
Acquiris U5309A	WL	-	-	-	-	√ SE IIIe only ¹²	√	√	-
Acquiris U5310A	WL	-	-	-	-	-	√	√	-
Acquiris U5303A	WL	-	-	-	-	√ SE IIIe only ¹²	√	√	-
Acquiris SA220P	WL	-	-	-	-	√ SE IIIe only ¹²	√	√	-
Audio Pro Cards									
Apogee Symphony 64 PCIe Card ^{d,2}	M	No	-	-	√	√	√	√	√
Avid HD Native ^{d,2}	M	No	-	-	√	-	√	√ ³	√
Avid Pro Tools HDX	MW	Yes	-	-	-	-	√	√ ³	√ ³
BSS Audio BLU-PCI 64-channel PCIe BLU Link Card ^{d,4}	W	No	√	√	√	√	√	√	√
Dante PCIe-R Soundcards	MW	No	-	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵
Audinate PCIe-R Soundcard	MW	No	-	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵
Focusrite RedNet Dante PCIe-R Soundcard	MW	No	-	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵
Solid State Logic Dante PCIe-R Soundcard	MW	No	-	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵
Yamaha Dante Accelerator PCI-R Audio Soundcard	MW	No	-	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵	√ ⁵
Lynx AES16e	MW	Yes	-	√	√	√	√	√	√
Lynx AES16e-SRC	MW	Yes	-	√	√	√	√	√	√
Lynx AES16e-50	MW	Yes	-	√	√	√	√	√	√
Lynx E22	MW	-	-	√	√	√	√	√	√
Lynx E44	MW	-	-	√	√	√	√	√	√
RME HDSPe AES	MW	Yes	-	√ ²⁶	√	√	√	√	√
RME HDSPe AIO ^d	MW	-	-	√ ²⁶	√	√	√	√	√
RME HDSPe MAD1	MW	Yes	-	√ ²⁶	√	√	√	√	-
RME HDSDe MAD1 FX	MW	Yes	-	√ ²⁶	√	√	√	√	-
RME HDSPe RayDAT	MW	Yes	-	√ ²⁶	√	√	-	√	-
RME HDSPe PCI ^d	MW	No	√	√ ²⁶	√	√	√	√	-
Solid State Logic MadiXtreme 64 ^d	-	No	-	-	-	-	-	-	-
Solid State Logic MadiXtreme 128 ^d	-	No	-	-	-	-	-	-	-
Universal Audio UAD-2 Solo, Duo DSP Accelerator⁶	MW	Yes	-	√	√	√	√	√	√
Universal Audio UAD-2 Quad, Octo DSP Accelerator^{2,6}	MW	Yes	-	-	√	√	√	√	√
Ethernet Adapters (Gigabit)									
Siig CN-GP1211-S1 LB-GE0014-S1	W	-	√	√	√	√	√	√	√
Siig CN-GP1211-S1 LB-GE0114-S1	W	-	√	√	√	√	√	√	√
Small Tree GbE ^d P2EGS-1T, P2EGS-2T, PEGS-4T	MW	No	√	√	√	√	√	√	√
Small Tree GbE ^d P2EGS-6T	MW	No	-	√	√	√	√	√	√
Sonnet Presto Gigabit Pro PCIe GE1000LAB-E ^{d,7}	MW	Yes	√	√	√	√	√	√	√
Ethernet Adapters (10 GbE)									
ASUS XG-C100C	WL	No	√ TB3 Only	√ TB3 only	-	√	√	√ TB3 Only	-
ATTO Fast Frame NT11^d, NT12	MWLV	Yes	-	-	-	√	√	√ TB3 Only	√ TB3 Only
ATTO Fast Frame NS11^d, NS12, NS14^d	MWLV	Yes	-	-	-	√	√	√ TB3 Only	√ TB3 Only
QNAP QXG-10G1T	WL	No	√ TB3 Only	√ TB3 only	-	√	√	√ TB3 Only	-
Siig CN-GP1211-S1 ^d	W	-	-	-	-	-	-	-	-
Small Tree 10GbE P2E10G-[1-T, 1-SR]	MW	No	-	-	-	√	√	√	√
Small Tree 10GbE P2E10G-[2-T, 4-T]²², P3E10G-[4-SR, 6-SR]²²	MW	No	-	-	-	√	√	√ TB3 Only	√ TB3 Only
Small Tree 10GbE P2E10G-2-XR, P3E10G-[4-XR, 6-XR]²²	MW	No	-	-	-	-	√	√ TB3 Only	√ TB3 Only
Sonnet Solo10G G10E-2X-E3 1-Port Card (10GBASE-T)	MWL	Yes	√	√	√	√	√	√	√
Sonnet Solo10G SFP+ G10E-SFP-1X-E3 1-Port Card (SFP+)	MWL	Yes	√	√	√	√	√	√	√
Sonnet McFiver	MW ^{25,L}	Yes	-	√	√	√	√	√	√
Sonnet Presto 10GbE G10E-2X-E3 2-Port Card (10GBASE-T)	MWLV	Oct. 22	√	√	√	√	√	√	√
Sonnet Presto 10GbE SFP+ 2-Port Card (SFP+)	MWLV	Oct. 22	√	√	√	√	√	√	√
Ethernet Adapters (25 GbE)									
NVIDIA ConnectX-4 MCX4111A-[ACAT, ACUT], MCX4121A-ACUT ²²	W	-	√ TB3 Only	√ TB3 only	-	√	√	√ TB3 Only	√ TB3 Only
NVIDIA ConnectX-5 MCX512A-[ACAT, ACUT, ADAT] ²²	W	-	√ TB3 Only	√ TB3 only	-	√	√	√ TB3 Only	√ TB3 Only
NVIDIA ConnectX-6 MCX631102AS-ADAT ²²	W	-	√ TB3 Only	√ TB3 only	-	√	√	√ TB3 Only	√ TB3 Only
NVIDIA ConnectX-4 MCX4121A-ACAT	W	-	-	-	-	-	√	√ TB3 Only	√ TB3 Only
NVIDIA ConnectX-5 MCX511F-ACAT, MCX512F-ACAT ²²	W	-	-	-	-	-	√	√ TB3 Only	√ TB3 Only
NVIDIA ConnectX-6 MCX623102AC-ADAT ²²	W	-	-	-	-	-	√	√ TB3 Only	√ TB3 Only

PCIe Card	macOS Windows Linux VMWare	M1/M2 Mac Com- patible Driver	Echo Express SEL	Echo Express SE I	Echo Express SE II	Echo Express SE III, IIIe	Echo I, Breakaway Box	Echo III ²⁵ , Echo Express III ²⁵ , xMac Pro Server	xMac mini Server
			TB2 or TB3	TB2 or TB3	TB2	TB3	TB3	TB2 or TB3	TB2 or TB3
			1 Low Profile	1 Full Height Half Length + 1 AUX	2 Full Height Half Length + 1 AUX	3 Full Height Half Length+	1 Full Height Full Length	E3/EEIII/xMPS: 3 FHFL BB: 1 DWFHFL	1 FHFL + 1 FHHL + 1 AUX ¹
Fibre Channel									
ATTO Celerity FC-81EN ^d	MWLV		√	√	√	√	√	√	√
ATTO Celerity FC-82EN ^d	MWLV		√	√	√	√	√	√	√
ATTO Celerity FC-84EN ^d	MWLV		-	√	√	√	√	√	√
ATTO Celerity FC-161E	MWLV		√	√	√	√	√	√	√
ATTO Celerity FC-162E^B	MWLV		√	√	√	√	√	√	√
ATTO Celerity FC-164E^B	MWLV		-	√	√	√	√	√	√
ATTO Celerity FC-321E^B	MWLV		√	√	√	√	√	√	√
ATTO Celerity FC-322E^B	MWLV		√	√	√	√	√	√	√
ATTO Celerity FC-324E^B	MW ²⁵ LV		√	√	√	√	√	√	√
FireWire									
Sonnet Allegro FW400 PCIe ^d	M		-	√	√	√	√	√	√
Sonnet Allegro FW800 PCIe	M	Yes	-	√	√	√	√	√	√
Sonnet Tango 3.0 PCIe USB3 FW800 Combo ^d	M	Yes	-	√	√	√	√	√	√
Startech PEX1394A2V FW800	M		-	√	√	√	√	√	√
Startech PEX1394B3LP FW800	M		√	√	√	√	√	√	√
GPU Cards									
AMD Radeon Pro WX7100	MW	No	-	-	-	-	√	√ TB3 Only	√ TB3 Only
AMD Radeon Pro W5500	MW	No	-	-	-	-	√	-	-
AMD Radeon Pro W6600	MW	No	-	-	-	-	√	-	-
NVIDIA Quadro P4000	W	-	-	-	-	-	√	-	-
NVIDIA Quadro RTX 4000¹⁹	W	-	-	-	-	-	√	-	-
PCIe Bus Extender									
Accusys ExaSAN Single Port QSFP to PCIe HBA Card	MW	No	√	√	√	√	√	√	√
Accusys ExaSAN Dual Port QSFP to PCIe HBA Card	MW	No	√	√	√	√	√	√	√
Avid Mojo DX (with PCIe Host Interface Board) ¹⁵	MWL	No	√	√	√	√	√	√	√
Avid Nitris DX (with PCIe Host Interface Board) ¹⁵	MWL	No	√	√	√	√	√	√	√
SAS/SATA									
Areca ARC-1883x 8-port 12Gb SAS RAID adapter⁸	MWLV	No	√	√	√	√	√	√	√
ATTO ExpressSAS H680	MWLV		√	√	√	√	√	√	√
ATTO ExpressSAS H1280 ^d	MWLV		√	√	√	√	√	√	√
ATTO ExpressSAS H12F0 ^d	MWLV		√	√	√	√	√	√	√
ATTO ExpressSAS H1280GT	MWLV		√	√	√	√	√	√	√
ATTO ExpressSAS H12FOGT	MWLV		√	√	√	√	√	√	√
ATTO ExpressSAS R680 RAID Adapter ^{d,9}	MW	No	√	√	√	√	√	√	√
CalDigit FASTA-2e ^d	-	No	-	-	-	-	-	-	-
CalDigit FASTA-6GU3 ^d	-	No	-	-	-	-	-	-	-
CalDigit FASTA-6GU3 PRO ^d	MW	No	-	√	√	√	√	√	√
HighPoint Rocket RAID SAS 2711/2722 ^d	-	No	√	√	√	√	√	√	√
HighPoint Rocket RAID SAS 3742A	MW	No	-	-	-	-	-	-	-
HighPoint Rocket RAID SAS 4522SGL ^d	-	No	√	√	√	√	√	√	√
HighPoint Rocket RAID SATA 644L/644LS ^d	-	No	-	√	√	√	√	√	√
NewerTech MAXPower USB/eSATA 2x2 Host Adapter ^d	-	No	-	√	√	√	√	√	√
Sonnet Tempo Duo PCIe ^d	MW	No	-	√	√	√	√	√	√
Sonnet Tempo SATA E2P ^d	-	No	-	-	-	-	-	-	-
Sonnet Tempo SATA Pro 6Gb PCIe 2.0 ^d	MWL	Yes	√	√	√	√	√	√	√
Sonnet Tempo SATA 6Gb Pro 4-port ^u	MWL	Yes	-	√	√	√	√	√	√
SSD									
ASUS Hyper M.2 x16 PCIe 3.0 Expansion Card	-	-	-	-	-	-	-	-	-
Dell Ultra-Speed Drive Quad NVMe M.2 PCIe x16 Card	-	-	-	-	-	-	-	-	-
HP Turbo Drive Quad Pro	-	-	-	-	-	-	-	-	-
Icy Dock MB987M2P-B NVMe M.2 SSD Adapter	MWL	Yes	√ ²³	√	√	√	√	√	√
Icy Dock MB987M2P-1B NVMe M.2 SSD Adapter with heat sink	MWL	Yes	√ ²³	√	√	√	√	√	√
Icy Dock MB840M2P-B Removable M.2 Adapter	-	-	-	-	-	-	-	-	-
Intel SSD 750 Series ^d	M ¹⁰ W		√	√	√	√	√	√	√
Intel Optane 900P, 905P PCIe SSD	MW		√	√	√	√	√	√	√
OWC Accelsior 1M2	MWL	Yes	√	√	√	√	√	√	√
OWC Accelsior 4M2	M	Yes	-	√	√	√	√	√	√
OWC Accelsior 8M2	M	Yes	-	-	-	-	√	√	√
QNAP QM2-2P-344	M	Yes	√	√	√	√	√	√	√
Sonnet M.2 2x4 PCIe Card	MW ²⁵ L	Yes	√	√	√	√	√	√	√
Sonnet M.2 4x4 PCIe Card	MW ²⁵ L	Yes	-	-	-	-	√	√	√ (FHFL slot)
Sonnet McFiver	MW ²⁵ L	Yes	-	√	√	√	√	√	√
Sonnet Fusion Dual U.2 PCIe Card	MW ²⁵ L	Yes	-	-	-	-	√	√	√ (FHFL slot)
Sonnet Fusion Dual 2.5 Inch SSD RAID	MWL	Yes	-	-	-	-	√	√	√ (FHFL slot)
Sonnet Tempo PCIe SSD ^d	MW	Yes	√	√	√	√	√	√	√
Sonnet Tempo SSD	MWL	Yes	-	√ ¹¹	√ ¹¹	√ ¹¹	√	√	√
Sonnet Tempo SSD Pro ^(d)	MW	Yes	-	-	-	-	√	√	√ (FHFL slot)
Sonnet Tempo SSD Pro Plus ^(d)	MW	Yes	-	-	-	-	√	√	√ (FHFL slot)
Western Digital BLACK AN1500 NVMe SSD Card	MWL		-	√	√	√	√	√	√ (FHFL slot)

PCIe Card	macOS Windows Linux VMWare	M1/M2 Mac Com- patible Driver	Echo Express SEL	Echo Express SE I	Echo Express SE II	Echo Express SE III, IIIe	Echo I, Breakaway Box	Echo III ²⁵ , Echo Express III ²⁵ , xMac Studio, xMac Pro Server	xMac mini Server
			TB2 or TB3	TB2 or TB3	TB2	TB3	TB3	TB2 or TB3	TB2 or TB3
			1 Low Profile	1 Full Height Half Length + 1 AUX	2 Full Height Half Length + 1 AUX	3 Full Height Half Length+	1 Full Height Full Length	E3/EEIII/xMPS: 3 FHFL BB: 1 DWFHFL	1 FHFL + 1 FHHL + 1 AUX ¹
Video Capture & Processing									
Acasis Dual 4K60 HDMI Video Capture Card	W		-	√	√	√	√	√	-
Acasis Quad 1080p60 HDMI Video Capture Card	W		-	√	√	√	√	√	-
Acasis Quad 1080p60 SDI Video Capture Card	W		-	√	√	√	√	√	-
AJA Corvid 3G^d	MWL		-	√ TB2 only	√	√	√	√	√
AJA Corvid 3G LP^d	MWL		√ TB2 only	√ TB2 only	√	√	√	√	√
AJA Corvid 3G Fibre^d	MWL		-	√ TB2 only	√	√	√	√	√
AJA Corvid	MWL		-	√	√	√	√	√	√
AJA Corvid LP	MWL		√	√	√	√	√	√	√
AJA Corvid 22	MWL		-	√	√	√	√	√	√
AJA Corvid 24	MWL		-	√	√	√	√	√	√
AJA Corvid 44/44LP	MWL	Yes	-	√ TB3 only	-	√	√	√ TB3 only	NR ²¹
AJA Corvid 44 12G	MWL	Yes	-	√ TB3 only	-	√ SE IIIe only ¹²	√	√ TB3 only	NR ²¹
AJA Corvid 44 BNC	MWL	Yes	-	√ TB3 only	-	√	√	√ TB3 only	NR ²¹
AJA Corvid 88/88LP	MWL	Yes	-	√ TB3 only	-	√	√	√ TB3 only	NR ²¹
AJA Corvid HEVC	MWL		-	-	-	√ SE IIIe only ¹²	√	√ TB3 only	NR ²¹
AJA Corvid HB-R	MWL		-	√	√	√	√	√	√
AJA Kona LHe Plus	MWL	Yes	-	√ TB2 only	√	√	-	√	√
AJA Kona LHi	MWL	Yes	-	√ TB2 only	√	√	-	√	√
AJA Kona 1	MWL	Yes	-	√	√	√	√	√	√
AJA Kona 3G^d	MWL		-	√	√	√	√	√	√
AJA Kona HDMI	MWL	Yes	-	√ TB3 only	-	√	√	√ TB3 only	NR ²¹
AJA Kona 4	MWL	Yes	-	√ TB3 only	-	√	√	√ TB3 only	NR ²¹
AJA Kona IP	MWL	Yes	-	-	-	√	√	√ TB3 only	NR ²¹
AJA Kona 5^{8,18}	MWL	Yes	-	-	-	√ SE IIIe only ¹²	√	√ TB3 only	-
Blackmagic DeckLink 4K^d	MW	No	√	√	√	√	√	√	√
Blackmagic DeckLink 4K Extreme^{d,13}	MW	Yes	-	√	√	√	√	√	√
Blackmagic DeckLink 4K Extreme 12G¹³	MWL	Yes	-	-	-	√ SE IIIe only ¹²	√	√	NR ²¹
Blackmagic DeckLink 4K Pro^d	MW	Yes	-	√	√	√	√	√	√
Blackmagic DeckLink 8K Pro⁸	MWL	Yes	-	-	-	√ SE IIIe only ¹²	√	√ TB3 only	NR ²¹
Blackmagic DeckLink Duo 2	MWL	Yes	-	√	√	√	√	√	√
Blackmagic DeckLink Duo 2 Mini	MWL	Yes	√	-	-	-	-	-	-
Blackmagic DeckLink Mini Monitor	MWL	No	√	√	√	√	√	√	√
Blackmagic DeckLink Mini Monitor 4K	MWL	Yes	√	√	√	√	√	√	√
Blackmagic DeckLink Mini Recorder	MWL	Yes	√	√	√	√	√	√	√
Blackmagic DeckLink Mini Recorder 4K	MWL	Yes	√	√	√	√	√	√	√
Blackmagic DeckLink HD Extreme 3D^d	MW	No	-	√	√	√	√	√	√
Blackmagic DeckLink Quad^(d)	MW	No	-	√	√	√	√	√	√
Blackmagic DeckLink Quad 2	MWL	Yes	-	-	-	√	√	√ TB3 only	NR ²¹
Blackmagic DeckLink Quad HDMI Recorder⁸	MWL	Yes	-	√ TB3 only	-	√	√	√ TB3 only	NR ²¹
Blackmagic DeckLink SDI^d	MW	No	-	√	√	√	√	√	√
Blackmagic DeckLink SDI 4K	MWL	Yes	-	√	√	√	√	√	√
Blackmagic DeckLink Studio^d	MW	No	-	√	√	√	√	√	√
Blackmagic DeckLink Studio 2^d	MW	No	-	√	√	√	√	√	√
Blackmagic DeckLink Studio 4K¹⁴	MWL	Yes	-	√	√	√	√	√ TB3 only	√
Blackmagic Intensity Duo^d	MW	No	-	√	√	√	√	√	√
Blackmagic Intensity Pro^d	MW	No	-	√	√	√	√	√	√
Blackmagic Intensity Pro 4K	MWL	Yes	-	√	√	√	√	√	√
Bluefish444 2K Core^d	M		-	-	-	-	√	√	-
Bluefish444 2K Ultra^d	M		-	-	-	-	√	√	-
Bluefish444 Create HD^d	M		-	-	-	-	√	√	-
Bluefish444 Create 3D^d	M		-	-	-	-	√	√	-
Bluefish444 Create 3D Ultra^d	M		-	-	-	-	√	√	-
Bluefish444 Epoch 2K Horizon^d	M		-	-	-	-	√	√	-
Bluefish444 Epoch Neutron	MWL		-	√	√	√	√	√	√
Bluefish444 Epoch Neutron LP	MWL		√	√	√	√	√	√	√
Bluefish444 Epoch 4K Neutron	MWL		-	√	√	√	√	√	√
Bluefish444 Epoch 4K Neutron LP	MWL		√	√	√	√	√	√	√
Bluefish444 Epoch 4K Neutron Turbo (2 cards)	MWL		-	√	√	√	√	√	-
Bluefish444 Epoch 4K Neutron Turbo LP (2 cards)	MWL		-	√	√	√	√	√	√
Bluefish444 Epoch 4K Supernova	MWL		-	-	-	-	√	√	√
Bluefish444 Epoch 4K Supernova EX (2 cards)	MWL		-	-	-	-	√	√	-
Bluefish444 Epoch 4K Supernova Turbo (2-3 cards)	MWL		-	-	-	-	√	√	-
Bluefish444 Epoch 4K Supernova S+	MWL		-	√	√	√	√	√	√
Bluefish444 Epoch 4K Supernova S+ Turbo (2 cards)	MWL		-	-	-	√	√	√	-
Bluefish444 Epoch 4K Supernova S+ Ex (2 cards)	MWL		-	-	√	√	√	√	-
Bluefish444 Epoch Supernova CG	MWL		-	√	√	√	√	√	√
Bluefish444 KRONOS elektron	MWL		-	√	√	√ SE IIIe only ¹²	√	√	√
Bluefish444 KRONOS optós	MWL		-	√	√	√ SE IIIe only ¹²	√	√	√

PCIe Card	macOS Windows Linux VMWare	M1/M2 Mac Com- patible Driver	Echo Express SEL	Echo Express SE I	Echo Express SE II	Echo Express SE III, IIIe	Echo I, Breakaway Box	Echo III ²⁵ , Echo Express III ²⁵ , xMac Studio, xMac Pro Server	xMac mini Server
			TB2 or TB3	TB2 or TB3	TB2	TB3	TB3	TB2 or TB3	TB2 or TB3
			1 Low Profile	1 Full Height Half Length + 1 AUX	2 Full Height Half Length + 1 AUX	3 Full Height Half Length+	1 Full Height Full Length	E3/EEIII/xMPS: 3 FHFL BB: 1 DWFHFL	1 FHFL + 1 FHHL + 1 AUX ¹
Video Capture & Processing (continued)									
Deltacast Delta-3G-elp-d 8c	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-d 8b	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-d 80	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-d 84	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-d 4c	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-2key-d 22	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-key-d 2K	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp-2key-d 44	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -01	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -02	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -10	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -11	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -key-11	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -20	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -40	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 01	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 02	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 04	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 10	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 11	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 12	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 20	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 21	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 22	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-elp -d 40	MW		√	√	√	√	√	√	√
Deltacast Delta-3G40-hd40-elp-d	MW		√	√	√	√	√	√	√
Deltacast Delta-h3k2-elp 20	MW		√	√	√	√	√	√	√
Deltacast Delta-h4k-elp 20	MW		√	√	√	√	√	√	√
Deltacast Delta-asi-elp-d 8C	MW		√	√	√	√	√	√	√
Deltacast Delta-3G4c-ASI4c-elp-d	MW		√	√	√	√	√	√	√
Deltacast Delta-asi-elp-d 4C	MW		√	√	√	√	√	√	√
Deltacast Delta-asi-elp 11	MW		√	√	√	√	√	√	√
Deltacast Delta-asi-elp 40	MW		√	√	√	√	√	√	√
Deltacast Delta-HD-E XX	MW		-	-	-	-	√	√	-
Deltacast Delta-HD-E-KEY 22	MW		-	-	-	-	√	√	-
Deltacast Delta-3G-ELP 40	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-ELP 20	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-ELP-KEY 11	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-E-KEY 22	MW		-	√	√	√	√	√	√
Deltacast Delta-HD-ELP-D 80	MW		√	√	√	√	√	√	√
Deltacast Delta-HD-ELP-D 44	MW		√	√	√	√	√	√	√
Deltacast Delta-HD-ELP-D 62	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-ELP-D 22	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-ELP-D 04	MW		√	√	√	√	√	√	√
Deltacast Delta-H4K-ELP 20	MW		√	√	√	√	√	√	√
Deltacast Delta-3G-DVI-E 20	MW		-	√	√	√	√	√	√
Elgato 4K60PRO	W		√ TB3 Only	√ TB3 only	-	√	√	√ TB3 only	-
Matrox Mojito MAX ^d	W ¹⁵		-	-	-	-	√	√	-
Matrox Morphis	W ¹⁵		-	√	√	√	√	√	√
Magewell Pro Capture HDMI	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Dual HDMI	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Quad HDMI²	MWL		-	-	√	√	√	√	√
Magewell Pro Capture HDMI 4K	MWL		√	√	√	√	√	√	√
Magewell Pro Capture HDMI 4K Plus	MWL		√	√	√	√	√	√	√
Magewell Pro Capture HDMI 4K Plus LT	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Dual HDMI 4K Plus LT	MWL		-	√	√	√	√	√	√
Magewell Pro Capture SDI	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Dual SDI	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Quad SDI	MWL		-	√	√	√	√	√	√
Magewell Pro Capture SDI 4K Plus	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Dual SDI 4K Plus	MWL		-	√	√	√	√	√	√
Magewell Pro Capture AIO	MWL		-	√	√	√	√	√	√
Magewell Pro Capture AIO 4K	MWL		√	√	√	√	√	√	√
Magewell Pro Capture AIO 4K Plus	MWL		√	√	√	√	√	√	√
Magewell Pro Capture DVI	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Dual DVI	MWL		-	√	√	√	√	√	√
Magewell Pro Capture DVI 4K	MWL		√	√	√	√	√	√	√
Magewell Pro Capture Hexa CVBS	WL	-	√	√	√	√	√	√	√
MOTU PCIe-424 ^d		-	-	-	-	-	-	-	-
RED ROCKET ^{d,16}	MW		-	-	-	-	√	√	√
RED ROCKET X ^{d,17}	MW		-	-	-	-	√	√	√

PCIe Card	macOS Windows Linux VMWare	M1/M2 Mac Com- patible Driver	Echo Express SEL	Echo Express SE I	Echo Express SE II	Echo Express SE III, IIIe	Echo I, Breakaway Box	Echo III ²⁵ , Echo Express III ²⁵ , xMac Studio, xMac Pro Server	xMac mini Server
			TB2 or TB3	TB2 or TB3	TB2	TB3	TB3	TB2 or TB3	TB2 or TB3
			1 Low Profile	1 Full Height Half Length + 1 AUX	2 Full Height Half Length + 1 AUX	3 Full Height Half Length+	1 Full Height Full Length	E3/EEIII/xMPS: 3 FHFL BB: 1 DWFHFL	1 FHFL + 1 FHHL + 1 AUX ¹
USB 3									
Sonnet Allegro USB 3.2 PCIe 4-Port	MWL	Yes	-	✓	✓	✓	✓	✓	✓
Sonnet Allegro Pro USB 3.2 PCIe (4-Port)	MWL	Yes	-	✓	✓	✓	✓	✓	✓
Sonnet Allegro USB-C PCIe (2-port)	MWL	Yes	✓	✓	✓	✓	✓	✓	✓
Sonnet Allegro USB-C 4-Port	MWL	Yes	-	✓	✓	✓	✓	✓	✓
Sonnet Allegro USB-C 8-port	MWL	Yes	-	-	-	-	✓	✓	-
Sonnet McFiver	MW ²⁵ L	Yes	-	✓	✓	✓	✓	✓	✓

Technical Notes

d. These cards has been discontinued. Continuing OS support may be limited.

1. Only 2nd Generation Thunderbolt 2 xMac mini Server, part number XMAC-MS-A, supports an AUX card. All Thunderbolt 3 models support an AUX card.

2. These cards draw more than 3 Amps at 3.3V, exceeding the specification for a single PCIe slot chassis.

3. Echo III Desktop and Rackmount chassis (introduced Dec. 2020): supports three HDX cards.

Echo Express III chassis (discontinued Dec. 2020): only TB2 and TB3 HDX support HDX cards; TB3 Edition not compatible with HDX cards.

xMac Pro Server: compatible with HDX Cards.

xMac mini Server: supports one HDX card.

Breakaway Box: supports one HDX card

Sonnet Power Adapter Cable for one HDX card, P/N TCB-HDXB supports EI, E III, EE III, xMPS and xMMS (but not BB); sold separately.

4. BSS Audio believes that BLU-PCI 64-channel PCIe BLU Link Card is Thunderbolt compatible, but they have not tested it. Worst case is that the card may not be hot-pluggable.

5. [Requires firmware version 4.0.10.5+ & hardware version 4.2.0.9+. Supports macOS 10.14.6-11.5 \(except M1 Macs\) and Windows 10 and 11 with Rednet Control software 2.8.5+.](#)

6. Mac Pro 6,1 (Late 2013) computers require UAD v9.6.1 Build 62772 or higher.

7. Only Sonnet Presto Gigabit Pro PCIe model number GE1000LAB-E (shipping on or after January 1, 2014) is Thunderbolt compatible.

8. These are PCIe 3 x8 cards, and they may not achieve maximum bandwidth or number of video channels over Thunderbolt 3, which provides PCIe 3 x4.

For example, a card that captures four 4k@60Hz channels may only capture two channels in a Thunderbolt chassis; or possibly four channels but at only @30Hz.

9. Cooling Kit for ATTO R680 RAID Card (Sonnet Part No. CK-R680) required for Echo Express III or xMac mini Server chassis.

Ambient temperature limited to 30°C in Echo Express SE series chassis.

10. Requires macOS 10.13.6+

11. Single SSD in this chassis.

12. These cards require PCIe auxiliary power. The Echo Express SE IIIe provides a total power of 80W to the auxiliary power and PCIe connectors.

Please make sure that the combined power requirements of all installed cards fit within this power budget.

13. This is a single slot but doublewide PCIe card that occupies two slot spaces. Fits in Breakaway Box.

14. This card has a cabled daughter card that can be installed in the SE I or SE II AUX card space, and takes two slots in other chassis. Does not fit in Breakaway Box.

15. Matrox cards do not support Windows 10 Fast Startup. Please disable this feature if you are using a mobile workstation.

After every Windows Update you may have to disable Fast Startup again.

16. Uses beta driver. Hot plug not supported.

In Sonnet tests, RED ROCKET with a Thunderbolt 2-equipped Echo Express III supported:

- 24 fps @ 5K, full-frame, 8-bit
- 11 fps @ 5K, full-frame, 16-bit

These results may vary depending on configuration and are provided for information purposes. Sonnet does not guarantee any particular performance of third-party cards.

17. In Sonnet tests, RED ROCKET X with a Thunderbolt 2-equipped Echo Express III supported:

- 32 fps @ 5K, full-frame, 8-bit (note: should be sufficient for playback of dailies in the field)
- 16 fps @ 5K, full-frame, 16-bit
- 22 fps @ 6K, full-frame, 8-bit
- 12 fps @ 6K, full-frame, 16-bit
- 64.5 fps @ 6K, full-frame, 8-bit, exporting to 1080
- 58.5 fps @ 6K, full-frame, 8-bit, exporting to 1080 (note: should be able to do 3D 1080 in real time)

These results may vary depending on configuration and are provided for information purposes. Sonnet does not guarantee any particular performance of third-party cards.

18. In Sonnet tests, a Kona 5 card in an Echo Express SE IIIe with AJA Device Test, we have achieved

- 103 FPS to capture and 105 FPS to playback footage at a resolution of 4096x2160 4K-2160 and a pixel format of 10 bit YUV.

These results may vary depending on configuration and are provided for information purposes. Sonnet does not guarantee any particular performance of third-party cards.

19. 6-pin to 8-pin PCIe power adapter cable required, sold separately.

20. Requires macOS 10.15.6+

21. Not Recommended. These cards are supported, but the resolution and/or number of video streams may be limited.

22. Thunderbolt 3 has the bandwidth to support at full bandwidth 1) two 10GbE connections ; or 2) a single 25GbE connection.

23. With optional 3rd party low profile bracket, not included

24. These cards are PCIe 4.0 x8 and they will not be able to achieve maximum simultaneous bandwidth across four or more ports in a Thunderbolt expansion chassis.

25. Windows 10 only. Windows 11 will not support the Echo Express SE III/ IIIe, Echo Express III TB3, Echo III, or any PCIe card with a Gen 3.0 or 4.0 PCIe Switch until version 23H1.

26. Adding an HDSP TCO Timecode Option Module, an RME HDSPe MADI FX OPTO-X ; or an RME Word Clock Module (WCM) requires a 3-slot chassis.

Sonnet provides this table as a courtesy based on the information made available to Sonnet by the card manufacturers.

Sonnet has tested Sonnet cards; but has not tested every 3rd-party card, and we cannot guarantee their compatibility.

For most current information, contact the PCIe card manufacturer. Specifications are subject to change without notice.

10/11/2022 ©2016-2022 Sonnet Technologies, Inc. All Rights Reserved.